











National Health Laboratory Service Manual Reticulocyte Count Proficiency Testing Scheme SLIDE B

| SURVEY | | | | |
|---|-----|-------|---------------|--|
| Participant laboratory name: | | | Code number: | |
| - | | | | |
| Received: (DD/MM/YY) | | | Date analysed | |
| | | | | |
| Please tick which method you use to | | s: | | |
| Manual Count without Millar Ocular Disc Manual Count with Millar Ocular Disc | | | | |
| Ovality of stain, places tiels relevant how | | | | |
| Quality of stain, please tick relevant Good Satisfactor | | Fair | Poor | |
| Cood | л у | ı alı | 1 001 | |
| Please note: The formula, the calculation and the result must be shown All laboratories will need to obtain a mark of 8 or above to be regarded as acceptable. Any mark below 8 will be regarded as not acceptable. Uncorrected reticulocyte count percentage (4 marks: 2 marks for the reticulocyte count percentage, 1 mark for the formula and 1 mark for the calculation) | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| Corrected reticulocyte count percentage (the 0.45 figure is taken as a normal haematocrit) | | | | |
| (3 marks: 1 mark for the formula, 1 mark for the calculation and 1 mark for the correct haematocrit) | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| Reticulocyte production index (3 marks: 1 mark for the formula, 1 mark for the calculation and 1 mark for the | | | | |
| correct maturation index). | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| Name(Please print) | | | | |
| Signature | | | | |
| Telephone number | | | | |
| e-mail address | | | | |

Fax:+27-11 - 386 6296

E-mail: haempts@nhls.ac.za

REFERENCE: Q-Pulse5/docs/active/QASH0022v6